10

15

20

DOTED EDITOR

1. A dynamic logic circuit on a SOI substrate, comprising:

a pull-down network comprising a plurality of series connected MOS transistors wherein at least one of said plurality of series connected MOS transistors is a NMOS transistor and at least one of said plurality of series connected MOS transistor;

a precharge circuit connected to a clock signal, a circuit supply voltage, and said pull-down network;

a ground switch circuit connected to said clock signal and to said pull-down network; and

an output node which is connected to a common node of said pull-down network and said precharge circuit.

- 2. The dynamic logic circuit of claim 1 wherein said precharge circuit comprises a PMOS transistor.
- 3. The dynamic logic circuit of claim 1 wherein said ground switch circuit comprises a NMOS transistor.
 - 4. The dynamic logic circuit of claim 1 wherein at least one of said MOS transistors in said pull-down network has a gate tied to a floating substrate body.

- 5. A dynamic logic circuit on a SOI substrate, comprising:
- a pull-down network comprising a plurality of series connected PMOS transistors;
- a precharge circuit connected to a clock signal, a circuit supply voltage, and said pull-down network;
- a ground switch circuit connected to said clock signal 10 and to said pull-down network; and

an output node which is connected to a common node of said pull-down network and said precharge circuit.

- 15 6. The dynamic logic circuit of claim 5 wherein said precharge circuit comprises a PMOS transistor.
 - 7. The dynamic logic circuit of claim 5 wherein said ground switch circuit comprises a NMOS transistor.
 - 8. The dynamic logic circuit of claim 5 wherein at least one of said MOS transistors in said pull-down network has a gate tied to a floating substrate body.

2

15

9. A dynamic logic circuit on a SOI substrate, comprising.

a pull-down network comprising a plurality of parallel connected MOS transistors with a first and second common node, wherein at least one of said plurality of parallel connected MOS transistors is a NMOS transistor and at least one of said plurality of parallel connected MOS transistors is a PMOS transistor;

a precharge circuit connected to a clock signal and to said first common node of said pull-down network;

a ground switch circuit connected to said clock signal and to said second common node of said pull-down network; and

an output node which is connected to said first common node of said pull-down network.

- 20 10. The dynamic logic circuit of claim 9 wherein said precharge circuit comprises a PMOS transistor.
 - 11. The dynamic logic circuit of claim 9 wherein said ground switch circuit comprises a NMOS transistor.

12. The static logic circuit of claim 9 wherein at least one of said MOS transistors in said pull-down network has a gate tied to a floating substrate body.

15

13. A dynamic logic circuit on a SOI substrate, comprising:

a pull-down network comprising a plurality of parallel connected PMOS transistors with a first and second common node;

a precharge circuit connected to a clock signal and to said first common node of said pull-down network;

a ground switch circuit connected to said clock signal 10 and to said second common node of said pull-down network; and

an output node connected to said first common node of said pull-down metwork.

- 14. The dynamic logic circuit of claim 13 wherein said precharge circuit comprises a PMOS transistor.
- 15. The dynamic logic circuit of claim 13 wherein said 20 ground switch circuit comprises a NMOS transistor.
 - 16. The static logic circuit of claim 13 wherein at least one of said MOS transistors in said pull-down network has a gate tied to a floating substrate body.